

TIMELESS DESIGN



Basik™

Effective optical packages meet timeless fixture designs in the Basik family. Launched in 1999, this indirect lighting product line was designed to withstand the test of time. Basic geometric fixture shapes, just as appropriate after remodeling and renovations as they were at installation, reduce both the time and money required to replace and update fixtures. Airports to gymnasiums, libraries to malls, Basik pendants feature performance-level optical packages that effectively light a project with fewer fixtures.



Basik™



Blending indirect lighting with architectural detail, Basik pendants effectively illuminate the ceiling plane, creating an inviting, usable area with a spacious feel. Basik provides attractive, economical lighting for natatoriums, gymnasiums, clean manufacturing facilities and other large spaces with high ceilings. High efficiencies and unique SPI optics produce more light from fewer fixtures, resulting in lower installation, operation and maintenance costs.



Basik™



The timeless design and durable powder coat paint finish featured throughout the Basik family have proven to withstand the test of time. When you need a well-lit project, go back to the Basiks. Effective, quality lighting never goes out of style.

Basik™

Interior



BIP 10862

Product	Forward Throw	Symmetric	Pendant	Exterior	Fluorescent Wattage Range	Metal Halide Wattage Range	Tungsten Halogen Wattage Range
Basik Interior	•	•	•		2F39	1M100 - 1M1000	-



APPLICATION VERSATILITY



Office



Airport



Field House



Natorium

Features

- Timeless Design
- Lower Fixture Replacement Costs
- No Visible Fasteners
- Durable Powder Coat Paint Finish
- Mounting Variety

Durable Construction

- Spun Aluminum
- Formed Steel

Flexible Ballast Options

- Integral and Remote
- Electronic and Magnetic

Premium Reflectors

- 95% Reflective Aluminum
- Superwhite

UL Listing

- UL Listed (US & Canada) for Damp Locations (Not recommended for exterior use)

Standard Options

- 45° Swivel
- Decorative Stem and Chain Mount Kits
- Fusing
- Mounting for Accessible Ceiling
- Overall Height
- Oversized Contemporary Ballast Cover
- Remote Electronic Ballast
- Standby Quartz Lighting
- Wall Mount Kit
- Wire Guard

Customization

- Special Wiring
- Custom Mounting
- Ballast Specification
- And More

Contact us at 262-242-1420 or visit www.specspi.com for more information.

INTERIOR BASIK

SFB



1M175-1M1000
Symmetric Optic

Pages
284 - 285

SFA



1M100-1M400
Symmetric Optic

Pages
284 - 285

SFF



1M250-1M400
Symmetric Optic

Pages
286 - 287

SDE



2M400
Symmetric Optic
Forward Throw Optic

Pages
286 - 287

SFU



1M400-1M1000
Symmetric Optic

Pages
288 - 289

SFM



2F39
1M100-1M1000
Symmetric Optic

Pages
290 - 291

Basik™


Interior Pendant Mount

Remote Ballast - Metal Halide Lamp(s)

Stem



SFB




	W	H	OAH
BIP 10863	25.3"	10.4"	84.4"

Stem



SFB




	W	H	OAH
BIP 10865	16.3"	6.0"	42.0"

Stem



SFA



	W	H	OAH
BIP 10867	16.3"	5.0"	34.0"



SY - Symmetric



Interior

Sample model number: BIP 10863 - SY - 1M400PS - 120 - PT01 - 45S

Remote Ballast

MODEL NO.	Mounting	Housing	OPTICAL	LAMPING	Lamping Detail	VOLTAGE	FINISH	OPTIONS
BIP 10863	Stem	Spun	SY	1M400PS	(1) PSMH400/ED28/Mog	120 277	PT01	Superwhite (Standard finish)
				1M1000	(1) MH1000/BT56/Mog		PT_	Non-Standard Finish (Include paint number)
				1M1000PS	(1) PSMH1000/BT37/Mog		See SPI Color Chart at specspi.com/finishes .	
BIP 10865	Stem	Spun	SY	1M175PS	(1) PSMH175/BT28/Mog	120 277	For details on other available voltages, see Ballast Information at specspi.com/resources .	
				1M250PS	(1) PSMH250/ED28/Mog		45S	45° Swivel
				1M400PS	(1) PSMH400/ED28/Mog		F	Fusing
BIP 10867	Stem	Spun	SY	1M100	(1) PSMH100/ED17/Med	120 277	OAH_	Overall Height (Other than standard. Specify in inches.)
				1M175PS	(1) PSMH175/BT28/Mog		Q	Standby Quartz Lighting
				1M250PS	(1) PSMH250/ED28/Mog		REB	Remote Electronic Ballast
				1M400PS	(1) PSMH400/ED28/Mog		SAJ	Oversized Contemporary Ballast Cover (Available in BIP 10867 only)
							WG	Wire Guard (Available in BIP 10863 only)

For Technical Information, see page 300.

Pendant

Basik™


Interior Pendant Mount

Integral Ballast - Metal Halide Lamp(s)

Stem



SFF




	L	W	H	OAH
BIP 10870	20.0"	13.5"	6.0"	48.0"

Stem



SDE



	L	W	H	OAH
BIP 10873	38.5"	18.0"	8.0"	56.0"



FT - Forward Throw



SY - Symmetric



Basik

Sample model number: BIP 10870 - SY - 1M250PS - 120 - PT01 - F

Integral Ballast

MODEL NO.	Mounting	Housing	OPTICAL	LAMPING	Lamping Detail	VOLTAGE	FINISH	OPTIONS
BIP 10870	Stem	Solid	SY	1M250PS	(1) PSMH250/ED28/Mog	120 277	PT01 Superwhite (Standard finish)	F Fusing
				1M400PS	(1) PSMH400/ED28/Mog		PT_ Non-Standard Finish (Include paint number)	OAH_ Overall Height (Other than standard. Specify in inches.)
							See SPI Color Chart at specspi.com/finishes .	
							For details on other available voltages, see Ballast Information at specspi.com/resources .	
							For Technical Information, see page 300.	

Integral Ballast

MODEL NO.	Mounting	Housing	OPTICAL	LAMPING	Lamping Detail	VOLTAGE	FINISH	OPTIONS
BIP 10873	Stem	Solid	FT	2M400PS	(2) PSMH400/ED28/Mog	120 277	PT01 Superwhite (Standard finish)	OAH_ Overall Height (Other than standard. Specify in inches.)
			SY				PT_ Non-Standard Finish (Include paint number)	SAF Two Stem Mounting for Accessible Ceiling
							See SPI Color Chart at specspi.com/finishes .	
							For details on other available voltages, see Ballast Information at specspi.com/resources .	
							For Technical Information, see page 300.	

Basik™


Interior Pendant Mount

Remote Ballast - Metal Halide Lamp(s)

Stem



SFU




	W	H	OAH
BIP 10862	24.0"	10.0"	84.0"

Stem



SDU



	W	H	OAH
BIP 10897	24.0"	16.5"	80.5"



SY - Symmetric



Interior

Sample model number: BIP 10862 - SY - 1M400PS - 120 - PT01 - 45S

Remote Ballast

MODEL NO.	Mounting	Housing	OPTICAL	LAMPING	Lamping Detail	VOLTAGE	FINISH	OPTIONS
BIP 10862	Stem	Spun	SY	1M400PS	(1) PSMH400/ED28/Mog	120 277	PT01 Superwhite	45S 45° Swivel
				1M1000	(1) MH1000/BT56/Mog			F Fusing
				1M1000PS	(1) PSMH1000/BT37/Mog			OAH_ Overall Height (Other than standard. Specify in inches.)
								Q Standby Quartz Lighting
								REB Remote Electronic Ballast
								SAJ Oversized Contemporary Ballast Cover (Available in 400W lamping only)
								WG Wire Guard

For details on other available voltages, see Ballast Information at specspi.com/resources.

For Technical Information, see page 300.

Remote Ballast

MODEL NO.	Mounting	Housing	OPTICAL	LAMPING	Lamping Detail	VOLTAGE	FINISH	OPTIONS
BIP 10897	Stem	Spun	SY	1M400PS	(1) PSMH400/ED28/Mog	120 277	PT01 Superwhite	F Fusing
				1M1000	(1) MH1000/BT56/Mog			OAH_ Overall Height (Other than standard. Specify in inches.)
				1M1000PS	(1) PSMH1000/BT37/Mog			Q Standby Quartz Lighting
								REB Remote Electronic Ballast
								SAJ Oversized Contemporary Ballast Cover (Available in 400W lamping only)
								WG Wire Guard

For details on other available voltages, see Ballast Information at specspi.com/resources.

For Technical Information, see page 300.

Pendant

Basik™


Interior Pendant Mount

Remote Ballast - Fluorescent and Metal Halide Lamp(s)

Stem



SFM




	W	H	OAH
BIP 10864	31.0"	11.0"	74.0"

Stem



SFM



	W	H	OAH
BIP 10871	20.0"	8.0"	43.0"



SY - Symmetric



Interior

Sample model number: BIP 10864 - SY - 1M400PS - 120 - PT01 - 45S

Remote Ballast

MODEL NO.	Mounting	Housing	OPTICAL	LAMPING	Lamping Detail	VOLTAGE	FINISH	OPTIONS
BIP 10864	Stem	Spun	SY	1M400PS	(1) PSMH400/ED28/Mog	120	PT01 Superwhite (Standard finish)	45S 45° Swivel
				1M1000	(1) MH1000/BT56/Mog	277	PT_ Non-Standard Finish (Include paint number)	F Fusing
				1M1000PS	(1) PSMH1000/BT37/Mog			OAH_ Overall Height (Other than standard. Specify in inches.)
								Q Standby Quartz Lighting
								REB Remote Electronic Ballast
								SAJ Oversized Contemporary Ballast Cover (Available in 400W lamping only)
								WG Wire Guard

See SPI Color Chart at specspi.com/finishes.
For details on other available voltages, see Ballast Information at specspi.com/resources.

For Technical Information, see page 300.

Remote Ballast

MODEL NO.	Mounting	Housing	OPTICAL	LAMPING	Lamping Detail	VOLTAGE	FINISH	OPTIONS
BIP 10871	Stem	Spun	SY	2F39	(2) FT39W/2G11	120	PT01 Superwhite (Standard finish)	45S 45° Swivel
				1M100	(1) PSMH100/ED17/Med	277	PT_ Non-Standard Finish (Include paint number)	DCN Decorative Chain Mount
				1M175PS	(1) PSMH175/BT28/Mog			F Fusing
				1M250PS	(1) PSMH250/ED28/Mog			OAH_ Overall Height (Other than standard. Specify in inches.)
				1M400PS	(1) PSMH400/ED28/Mog			Q Standby Quartz Lighting
								REB Remote Electronic Ballast
								SAJ Oversized Contemporary Ballast Cover
								SKA Decorative Stem Kit - Angled
								SKM Decorative Stem Kit - Multi

See SPI Color Chart at specspi.com/finishes.
For details on other available voltages, see Ballast Information at specspi.com/resources.

For Technical Information, see page 300.

Pendant